G R S IX 5]

Previous references

File No 24-15

1916.
(Municipal)

Serial Nos 18, 23, 105, 111, 114 & 122

Later references

Pursuant to 7/12/16

GENERAL AND REVENUE SECRETARIAT

Serial Nos 18, 23, 105, 111, 114 & 122

Part B for September 1916

SUBJECT

Estimate for paving the bed of the main Storm water drains in the Mysore city

GO no 1775-78-7-9 16

Sanctions an estimate amounting to Rs 10,106/- for paving the bed of the Storm water drain near the Hardinge Circle upto the Pleasure Palace Road Culvert in Mysore city.

W D 83—GPB—50,000—24 7 16

Intd Dasara 31 CD 16

GRS 11] 1915-1916

GENERAL AND REVENUE SECRETARIAT
(Mun. I)

NOTES

File No 24-15

FILE HEADING
Estimates for works in the Mysore City

From
The Chief Engr. of Mysore for Irrigation
No 10227 Dated 30 10 15 Received 3 10 1915

Diary No	Enclos	Spare Copies	Serial No
1662	9	–	18

BRIEF ABSTRACT OF LETTER

Submits for early sanction an estimate amounting Rs 47,550/- (with plans) for lowering the beds of the main storm water drains in Nos. II and III Drainage areas of the City together with the Central San. Board's Resolution thereon of the same

NOTES AND ORDERS

N

Submitted There is a provision of Rs 20000/- for this work in the current year's sanctioned Budget of the Local Board that Budget was based on the bases of a State grant of 3 lakhs as in previous years As the grant was subsequently fixed

NOTES—First Sheet

GPB—35 000—15 6 12

1662

R S 12]

General and Revenue Secretariat | 26 File No 26 of 1915

Serial No

Lr. 1660 Dy 3.11.1915

3½ lakhs a year, the Chairman has now submitted a reappropriation statement framed on the bases of the enhanced grant and the actual requirements of the year as could be gauged by him since In this statement, he has proposed to reduce the sanctioned provision of Rs 20000/- to Rs 4000/- on the ground that "the work can afford to wait". Hence, funds will have to be found for the work from general savings in due course in case it should be put in hand at once Hence, draft sanction framing the estimate without any reference to the source from which the cost has to be met is submitted for approval and other orders

MMS 4 11 15

2 ~~It is to be~~ The chairman will no doubt regulate the actual expenditure according to the provision available

2nd member 4/11

3 This is another of those items of unusual expenditure, the Board - I have noted this in my letter to the Chairman - It seems to me enough if any such portion of this charge as is met from the Cawnpore Bank is treated as an income purpose - the Chairman

NOTE—Contn sheet

GPB—20 000—30 6 15

H-62

R S 12]

General and Revenue Secretariat

File No 244 of 1915

Serial No	
	[illegible]
	[illegible]
	[illegible]
	[illegible]
	[illegible]
	[illegible]
	[illegible]
	[illegible]
	9/11/15
	4 The revised Regl Engs were after approved by the Govt
	Pol 10/11/15
	11/11
	5 Draft of a letter to Chief Engr HKLG Mas 11 11 1915 6 Honeyman 13/11
23	To the Ch Engineer of Mysore for Irrigation No 3604 dt 16 11 1915
	Observes that it would be sufficient if only the bed of such portion of the Sloten Wake as lies within the Cauvery Basin is paved & calls for an estimate therefor

V K for a draft letter to Chief Engr Mas 11/11

NOTE—Contn sheet

GPB—20 000—30 6 15

J. R. S. 12] Viceregal file

General and Revenue Secretariat

Public Work's Secretary's Note No. D 450 dated 4th November 1915.

ML File No. 24 of 1915.

Serial No

7 The Revenue Secretary will kindly expedite the submission of the estimate referred to in para. 1 of Joint Secretary's Note.

Paper under disposal

8 The proposal in paragraph 3 may be approved.

16 11.15 RB

IV HW 19/11 HVK 19/11

Entries 1071-15

9 Sec to Secretary to Govt. Revenue Dept

H. Hughes 16/11/15

Joint Secretary to Government

X

10 The estimate in question was returned to the Ch Engr with 8123 with reference to para 3 supra.

HVK 49 dms 19 11 1915

11 Sec to for instructions whether the receipt of revised estimates may be awaited

HW

Rev Secy

12 A reminder may be sent

HVK 22/1

13 Sec to The estimate was returned only on the 16th instant to the Ch Engr

14 Yes; but a reminder may be sent if not rec'd within one week HVK 26/11/15

HW 26/11

Revenue Secy

HW 29/11

Contin sheet

HVK 16/11

GPB 25 000—2 11 11

15

ME 24.15

REPLY

(To be written on this margin)

No 2450

Submitted to the Dewan of Mysore, with the intimation that the work referred to forms part of a larger estimate amounting to Rs 47,550 for paving the beds of the main storm water drains in Nos.II & III Drainage areas of the Mysore City. The consolidated estimate received from the Chairman of the Trust Board in September last, was sent up for sanction to the Government in the Revenue Department on the 30th October 1915.

The cost of paving the flood water drain running in the compound of the Upper Residency, the Municipal Park and Wesleyan Mission grounds, (No 2 area) amounts to Rs 27,654 & there is an allotment of Rs 20,000 for this work in the current year's Trust Board Budget.

3. If ordered, the Chairman will be instructed to take up No.II Drainage area first and complete it by the end of the year before taking in hand No III Drainage area.

H. Hayavadana Rao

Joint Secretary to Government,
P.W.Department

Bangalore,
4th November 1915.

2307
9/11/15

Office of the Dewan of Mysore.

NOTE

Dated 29th October 1915

D.O.No.70 dated 14th October 1915 from the Private Secretary to His Highness the Maharaja of Mysore, with accompaniments.

.....

Forwarded to the Joint Secretary, P.W.D., for favour of submission of the papers in question at a very early date with his own views and recommendations.

30-10-15

The Joint Secretary,
Public Works Department.

Mel 24.15

D. O. L. - 2300/16

D.O.No. 70
Enc 2

The Palace, Mysore,
14th October 1915.

My dear Sir,

In forwarding herewith copies of correspondence regarding the Storm Water Drain running through the Government House Compound at Mysore, I write to state that His Highness is anxious to have the said Drain suitably paved and made sanitary. I am accordingly to request you to kindly send up the papers connected with the case with your opinion.

Yours sincerely,

Sir M. Visvesvaraya, K C I.E.,
Dewan of Mysore,
M y s o r e.

ml 24.15

8

Mysore City,
South India,
27th September 1915.

Dear Mr. Campbell,

1. x x x x x x x x x x

2. There are two little matters in connection with the City Improvements I thought I would mention to you.

3. The first is the state of the big open drain which runs from the Wellesley Gate through the Government House Park to the Big tank. I have been on at this for a long time. The place is used as a common latrine and as the ground is sandy etc., the filth sinks in and the stench is often abominable. Being so near to Government House, I am sure it ought not to be left in that state, to say nothing of the people who live nearer it. I gathered some time ago that an estimate had been submitted for flagging and cementing it. I spoke to the Chairman again about it this morning and found there was a hindrance somewhere so that the work has not been begun. Of course after it is flagged, the people will still resort to it unless care is taken, but the filth will not sink into the soil and can easily be removed. I am wondering whether you can get H.H to say a word about it. If he does, the work will be sanctioned at once. I cross the Park at all hours of the day and night and very often the stench is enough to knock one down.

4. The other point is this - they are now talking about a girdle road right round the City and they have outlined one which will be a great improvement to the City. But you may be aware that there is a track running from the Nanjangud road to the back of Chamundi - it is not at all bad up to a certain point. You can <u>walk</u> right round joining the T. Narasipur road which leads on to the Bannur road just beyond the Harnhalli Bangalow. I hope this is clear. Now if the road

2nd 24.10.15

9

right round the back of Chamundi were made, it would be a magnificent run for motors, cycles and horses. It would, in my humble judgment, be an immense improvement to the City. If you get an opportunity, mention this to the Maharaja. It would cost comparatively little - certainly very little when compared with what the City would gain. As a matter of fact there are not many drives round the City. One generally has to return by the same road and in this respect Mysore comes far behind Bangalore.

5. We had tremendous rain on Thursday night - they say it was 5½ or 6 inches.

With kind regards,

Believe me, Yours very sincerely
Sd/ George W. Sawday,

No.1239

Copy of the above is forwarded to the Chairman, Trust Board, Mysore, with the intimation that (1) needful action may kindly be taken immediately on point referred to in para 3 and (2) the one referred to in para 4 (15) for his consideration and disposal.

Mysore,
1st October 1915.

Sd/ T Thumboo Chetty,
For Private Secretary
to H.H.the Maharaja of Mysore.

" C o p y "

W D 731—GPE—2,000—2.10.15

REPLY

(To be written on this margin)

Office of the Dewan of Mysore.

NOTE

Dated 9th December *1915*

D.O. letter No.974 dated the 2nd December 1915, from the Offg Private Secretary to H.H the Maharaja, regarding pavement to the drains near the Hardinge Circus, Mysore, and reply dated 4th December 1915, thereto.

---

15 Forwarded to the Secretary, Revenue Department, for information.

16 The Dewan will be obliged if the question is expedited.

By order,

Private Secretary to the Dewan.

17 This may be treated as urgent till the

18 An urgent reminder was issued on 29 11 1915.

19 Draft of an urgent reminder

Dec 24 '15

D.O. letter No.3579 dated Bangalore, 4th December 1915, from the Private Secretary to the Dewan, to the Offg. Private Secretary to H H. the Maharaja of Mysore.

I am in receipt of your letter No.974 of the 2nd instant regarding pavement to the drains near the Harding Circus I am placing the matter before the Dewan and will expedite settlement of the question.

-0-0-0-

"Copy"

O. No 141

D.O. No 974
Cpr 1.

Mr 24 15 — 14 12

D O No 81
Encl 1

Mysore C I.Trust Board,
Chairman's Office,
Dated Mysore the 11th Dec ,

Dear Mr.Mirza Md. Ismail,

As promised personally this mornin I enclose the Memo regarding the slabbi of the Flood Water Drain near the Hardin Circle.

Yours Sincerely,
D Krishnamachar

Mirza Md. Ismail, Esq., B.A.,
Private Secretary to His Highness
the Maharaja of Mysore

ca Mr Narayanaya

Perhaps you can
post enough space
for Dewan's
orders about the early
passage of the question
appear the no offensive
boat from

Yours sincerely
Mirza M Ismail

(14)
15

(13)

M e m o.

An estimate for Rs. 47,550/- for paving the beds of Main Storm Water Drains of No. II and III Drainage areas (i.e. the Storm Water Drains near the Harding Circle) has been sent up recently by the Chief Engineer to Government for sanction after the same has been approved by the Central Sanitary Board.

During his inspection in Dinara the Second Member of council was of opinion that it would be enough to pave that portion of the drain around the Hardinge Circle, which is estimated at Rs. 10,046/-.

The Lown Sahib, in one of his inspections of the City last year wanted the whole drain situated at a distance of 100 or 150 feet from the main road to be slabbed. In this case, all the lengths of the drains are so situated for which the present estimate has been submitted and is pending Government Orders.

The undersigned feels that the full length of the drain as has been proposed should be paved and that the estimate has to be got sanctioned.

The cost of the work may be limited to about 10,000/- annually so that the whole work may be completed within five years.

The amount of this estimate viz., Rs. 47,550/- can be met from the savings anticipated under general drainage works.

Ibn Muhammad Rao

Chairman.

(14

114

Mil 24 · 15

MS/328-1

G R.S 13]

Routine Notes

[To be used only for notes, requisitions etc , not intended for permanent record]

20 Sub for orders as to whether the original estimate may be recalled ~~or whether the~~ as the delay appears to be due to the preparation of the revised estimate

21 If Govt intend to sanction the entire estimate there will be no need for the revised one ~~& matter may probably be brought to a conclusion~~

Nec 2 Mr members instructions may probably be ~~for~~ solicited on the point, as the revised estimate was called for under his instructions

Asst
11/12

Neveley

22 MT

2nd Inviter 13/11/15

Asst
13/1

23 Please not for sanctioning the whole estimate as I shall consider it a short working unless I do hear. If the Govt sanction the minor estimate may be sent for — submitted for sanction

16/12 Kelly

N B —**Should** routine notes be written on small slips **the notes** must be copied or slips pasted on **this** form

GPB—50 3)0—5 8-1

15

15

Mc 24 15

GRS 18]

Routine Notes

[To be used only for notes, requisitions etc, not intended for permanent record]

24 MT

16/12/15

DEvans

3119
16 12 15

Bm
16/12

For short replies

25

The Submission of the revised estimates for proving the Avon only close to road bridges may be expected

22/16 RB

Engr

MT

24/1/16

Bm
23/1

26 Draft letter on 11. 12 1915 might be appd

AK 49

24.1.1916

27 Drafted

28

NB —Should routine notes be written on small slips the notes must be copied or slips pasted on this form

GPB—50 000—5 8 15

167/15

Mis 1071 &

116

[G R S 12]

General and Revenue Secretariat

Mil File No 24 of 1915

Serial No	
	28 Draft of a letter is submitted with reference to para 14. HRK 49 DMA 27.11.1915 29 Vooreshwara Rao 27/11
	To the Chief Engr of Mysore for Irrigation No 3943 & 29 11 1915 Calls for a very early subn of the revised Estimate together with the original Estimate.
105	To the Chief Engr of Mysore No 6091 & 23 6 1916 Subts an Estimate amounting to Rs 10,106 for flooring the flood water drain near the Hardinge Circle up to the Cleaver Palace Road Culvert
	30 The original Estimate amounted to Rs 47,550 (The has not been received back) The revised Estimate for a reduced sum was called for with ref to the 2nd Member's order contained in para 3 supra (pages 3 & 4). Attention is invited to the Dewan's order in para 25 on page 15 of these notes. Orders are solicited as to whether the revised Estimate now received may be

NOTE—Contn sheet

GPB—20 000—30 6-15

4620 17

R S 12]

General and Revenue Secretariat

Ind File No 24 of 1915

Serial No

be Sanctioned

31 A provision of Rs 10,000/- is made by the Sd of Trustees in their budget for 1916 17 under the head "Paving the Sloths Water Drain of No III & II Drainage areas"

D

HK48
28 6 916
Bc
30/6

32 Please see if the revised & amended estimate is in the Dewan's orders

KP
30/6-16

33 The Dewan's order is to the effect that the drain only close to road bridges may be paved. The estimate received is for 'flooring the flood water drain near Standing Circle up to Pleasure Palace Road culvert' The necessity for this work has been explained in the report accompanying the Estimate

HK48
2 7 916
Bc
3/7

34 Call for the orig! Estte for ref.

KP
6/7-16

35 Draft of a letter is submd

HK48
6 7 916
Bc
6/7

36 Issue

KP
7/7-16

NOTE—Contn sheet

GPB—20,000—30 6 16

[A R S 12]

General and Revenue Secretariat | Vol File No 24 of 1915

Serial No	
111	To the Ch Engr of Mysore No 2089/10 7/1916 Calls for the original estimate for flooring the three water drawing in Nos II & III Drainage areas of the Mysore city
114	To the Ch Engr no 7220 dy 19/7/916 Forwards the Asst original estimate called for in the above. 37 Submitted for orders. 548 38. Refer. Para 25 of Rep 22/7/1916 Revd 22/7 25/7-16 Rev Secy 39 Revised Estimate called for in Paragraph 25 can be dropped Dewan 548/26/7/16 25/7/916 40 Submitted with Ds N 25/7-16 Required 4/8/916 Dewan [illegible]

NOTE—Contn sheet.

Ml 24. 15

41, Submitted to His Highness

(1) In compliance with His Highness's orders communicated to me by the Private Secretary in his letter dated 14th October 1915 in the matter of certain improvements to the Storm water drain running through the Government House compound in Mysore, proposals were called for from the Chief Engineer who submitted an estimate amounting to Rs 47,550/- for paving the beds of Main Storm Water drains in Nos II and III Drainage areas which include the special work under reference

(2) The Second Member of Council (Mr Kantaraj Urs) was of opinion that there was no necessity for this large estimate and that it was enough if the portion of the Storm Water drain lying within the Curzon Park was paved Agreeing in this view I called for a revised estimate

(3) The Chief Engineer has submitted the enclosed estimate for Rs 10,106/- prepared by the Chairman of the Board of Trustees for the improvement of the City of Mysore for paving the bed of the Storm Water drain from near the Hardinge Circle up to the Pleasure Palace Road Culvert with slabs laid on concrete and pointed in cement gently sloping on either side towards the centre There is a provision of Rs 10,000 for this work in the current year's Trust Budget

(4) I solicit sanction to the reduced estimate now submitted

M. Visvesvaraya
16th Nov 1916

Vol 24 15

(20

Record of Cases submitted for the Orders of His Highness the Maharaja

Subject

Revised estimate amounting to Rs. 10,106/- for paving the bed of the Storm Water drain near the Hardinge Circle in Mysore.

198

Order

42. ~~KRW~~

19/8/16

21

259

G R. S 12]

General and Revenue Secretariat | Mf File No. 24 of 1915.

Serial No	
	No. 1822/5860 dated the 24th August 1916
	44. Forwarded, with Compliments, to the Secretary to Govt. Revenue Department, for issue of formal orders.
	R V Sundaramma Under Secy to Govt. B & Mad 44 24 8 16
	45 Draft order is submitted MK 48 29 8 916
	46 Issue 4/9-16
	29/9
122	To the Chief Engr Chairman of the Improvement Irrigation Trust Bd & Compt. No 1775-7 & 7/9 1916
	Sanctions the Estimate amtg to Rs 10,161

BEN & REV SECTT
IV
26 AUG 1916

NOTE—Contn sheet

GPB—40 000—17 1 1

Mysore Public Works Department,

Central Office,

Dated Bangalore, 30th October 1915.

No. 10227

D 1662

From

Rao Bahadur K.Krishnaiengar, Esq., B.A., L.C.E.,

Chief Engineer of Mysore for Irrigation,

Bangalore.

To

V.K.Thyagaraja Iyer, Esq., M.A.,

Secretary to Government, Revenue Department,

Bangalore.

Sir,

I have the honour to forward, for favour of very early sanction, the accompanying estimate amounting to Rs 47,550 for paving the beds of the main storm water drains in Nos.II and III Drainage areas of the Mysore City received from the Chairman of the Board of Trustees, Mysore City Improvements.

2. The necessity for the work is explained in the report of the Chairman attached to the estimate.

3. Copies of the resolutions of the Improvement Trust Board and the Central Sanitary Board approving the estimate are also forwarded.

4. There is a provision of Rs 20,000 for the work in the Trust Board Budget Estimate for the current official year.

I have the honour to be,

Sir,

Your most obedient servant,

K. Krishnaiengar

Chief Engineer for Irrigation.

T B.N

SECRETARY'S OFFICE
REGD No
14 SEP 1915
MYSORE P W DEPT

Proceedings of the Central Sanitary Board in Mysore,

----- O -----

Encl to Govt 24-15-18

R e a d ;-

Letter No 7038 dated the 15th July 1915 from the Chief Engineer in Mysore, forwarding, for the opinion of the Board, an estimate for paving the beds of the main storm water drains in Nos II and III Drainage areas of the Mysore City, together with a copy of the resolution of the City Improvement Trust Board on the subject

Resolution No /

Bangalore dated the 11th September 1915

Resolved that the proposal and the estimate amounting to Rs 47,550/- be approved

President,
Central Sanitary Board

P H

SECRETARY'S OFFICE
REGD No
14 SEP 1915
Mysore City Improvement Trust Board
MYSORE CITY. DEPT

SECRETARY'S OFFICE
REGD No.....
14 JUN 1915
P.W. DEPT

24

Proceedings of the Ordinary Meeting of the Board of Trustees for the Improvement of the City of Mysore held at the Chairman's Office, on Monday the 2nd February 1 9 1 5. at 8 A. M.

P R E S E N T.

T.G.Lukshmana Rao, Esq., L.C.E.,

C h a i r m a n

- - - - - - - -

T r u s t e e s

P r e s e n t	A b s e n t
1. Dr.M.Srinivasa Rao, M.A ,M.D	1. Mr. Y.Srinivas Rao, B.A.,
2. Mr. G.Narayana Rao, B.A ,B L. Vice-President	
3. Mr. A.K.Pani, C.P.H., Health Officer.	
4. Rev.G.M.Sawday	
5. Mr.M.C.Ranga Iyengar, B.A.	
6. " M.Venkatakrishnaiah	
7. " Mahamud Jaffer Sahib.	

XIV. Modified estimate for Rs 47,084/- for flouring No II and III Drainage area main flood water drain with slabs

Resolved that the estimate be approved and submitted to Government for sanction.

Sd/- T Lukshmana Rao,

Chairman

" C O P Y "

T Lukshmana Rao

C h a i r m a n.

SECRETARY'S OFFICE
REGD No
14 SEP 1915
SORE P. W. DEPT

SUPERINTENDING ENGINEER
REGD No
14 JUN 1915

Report

Report to accompany the estimate for flooring the earthen beds of No. II and III Drainage area main Storm Water drains

Encl to Mem 24-15-18

The main Storm Water drains of No. II. and III. drainage areas run right in the heart of the City Some 7 years ago these drains were mere earthen drains, but the Board soon improved them by sectioning, grading and revetting its sides with stone revetment. No floor of any kind was put at that time, the earthen floor only was found sufficient at that time. Since then this earthen floor is noticed to be eroded and cut up very badly with the result that stagnant pools of water used to accumulate in those drains. Both the Park and the Government House Authorities were bitterly complaining of the nuisance arising from the offensive smell emitted by these stagnant pools of water

As will be seen from the plan certain lengths of the flood water drains of both the areas have already got their slabbed beds The Dewan Sahib during one of his inspections instructed that such portions of this drain situated within 100 yards from any public road or inhabited building

(12)

may be floored.
building nearly all the length of drain is
so situated and the estimate is proposed
for the whole length.

The bed slabs have been proposed to
be laid on 3" thick chunan mortar concrete
with a slight inclination towards the
centre where a semi-circular cement
concrete drain to drain off, any sewage
that may escape into from the pipe sewers,
is also proposed The design is as per
the one sanctioned for the flood water
drain of No. IV. Drainage area which has
already been constructed The bed of
channel from the Pleasure Palace road
culvert up to the road across the Doddakere
Tank is to have a soojicut flooring.

The cost of the estimate amounts to
Rs. 47,550/- and will be met from the
budget grants of Trust Board

Chairman

13 (27)

G R S 26]

SUBJECT Paving Storm Water Drains in Nos II & III Drainage areas of the Mysore City.

Diary No of letter replied to 1662

General and Revenue Secretariat
(Mund)
, the 191

Date of issue 16.11.15

Signed by Mr A V Ramanathan

Section Mund
File No 24 15
Serial No 23

Cir Title
No 3604
mnl 24-15-23
9/16 11/15

To The Chief Engineer of Mysore for Irrigation

Sir,

In returning herewith the estimate (with plans) Amounting to Rs 47,530/ for paving the beds of the main Storm water drains of in Nos II & III Drainage Areas of the Mysore City received with your letter No 60227 of the 30th Oct 15 I am directed to ~~observe~~ state that Govt consider that -

there is no urgency for taking up
the big Scheme, and that it
would be sufficient if only such portion of the
drain as lies within the
Curzon Park is treated in
the manner proposed.
2. I am therefore to request
you to be so good as to obtain
a revised estimate from the
Chairman of the Board of Trustees
for the Improvement of the City of
Agra in the light of
the above remarks and
submit the same for Sanction
of Govt. It is understood
that the revised
Estimate would cost about
5 or 6 lacs and upwards.

I have etc.

Sd/- [illegible]
Secy to Govt

List of enclosures

Copied by

Examined by

—80,000—11-2-14

TELEGRAPHIC ADDRESS
Statewoks

(29

No 6091

Encl 6 { 2 Estimates, 2 Plans, 2 Reports, 1 Abstract

D 46
24-15-105

MYSORE P W DEPARTMENT

CENTRAL OFFICE,

Bangalore, 23rd June *1916*.

From Rajasabhabhushana

KARPUR SHRINIVASRAO, ESQ, B Sc, L C E,

Chief Engineer of Mysore,

Bangalore

To

V.R.Thyagaraja Iyer, Esq , M.A ,

Secretary to Government,

Revenue Department, Bangalore.

Sir,

I have the honour to forward herewith an estimate amounting to Rs.10,106/- for flooring the flood water drain near the Hardinge Circle up to the Pleasure Palace Road Culvert This forms part of the estimate amounting to Rs 47,550/- returned with your No.3604/M1.24-15-23 dated the 16th November 1915 As the work is of an urgent nature, Government sanction to the estimate may kindly be accorded early

2. The Central Sanitary Board had approved the scheme and copy of the resolution of the Improvement Trust Board approving of the estimate is enclosed

3. It is believed that nece sary provision has been made for this work in the Trust Board Budget estimate for 1916-17

4. This disposes of your reminder No 9041 of the 13th June 1916

I have the honour to be,

S i r,

Your most obedient servant,

R V Sundaram

For Chief Engineer of Mysore

H.R.R.

MYSORE P. W. DEPARTMENT.

No. 6091

From

THE CHIEF ENGINEER OF MYSORE,

Bangalore.

To

The Secretary to Government,

Revenue Department.

Dated Bangalore 23rd June 1916.

Despatched

Enclosure Nos.

Subject.

Estimate amounting to Rs10,196/ for flooring the flood water drain near the Hardinge Circle up to the Pleasure Palace Road Culvert.

SECRETARY'S OFFICE
19 APR 1918
MYSORE P W DEPT

Encls Nil 24-15-10s

(30)

REPORT.

The bed of the flood water drain near the Hardinge Circle with Soojie flooring presents a very untidy appearence It allows weeds and other vegetable growth within the culvert.

REGD 30 APR 1918
MYSORE P W DEPT

This is the circle through which His Highness and the Royal party pass and repass frequently and it is very necessary that the drain should be kept clean, and without slabbing the flooring it is not possible to do so.

It is now proposed to improve the length of this drain near the Hardinge Circle up to the Pleasure Palace road culvert by paving the bed with slabs laid on concrete and pointed in cement gently sloping on either side towards the centre where a cement concrete drain has been proposed.

The underground drainage of the whole City is not completed and as such a small quantity of sewage always finds its way to this drain by the overflow of gully traps and to catch up this the central concrete drain is necessary.

The work is of a very urgent nature and its sanction is solicited.

Chairman

Encl to the Memo No. 1P APR 19.b
MYSORE P W DEPT

31

MYSORE CITY IMPROVEMENT TRUST BOARD

PROCEEDINGS OF THE FOURTH ORDINARY MEETING OF THE BOARD OF TRUSTEES FOR THE IMPROVEMENT OF THE CITY OF MYSORE, HELD AT THE CHAIRMAN'S OFFICE ON WEDNESDAY, THE 28TH OCTOBER 1914, AT 8 A M

PRESENT

Mr T G Lakshmana Rao, L C E, *Chairman*

Trustees

1 Dr M Srinivasa Rao, M A, M D
2 ,, A K Pain, D P H
3 Mr G Narayana Rao, B A, B L
4 ,, M C Rangaiengar, B A
5 ,, M Venkatakrishnaiya
6 ,, Mahomed Jaffer Sahib

ABSENT

1 Mr R H Campbell, I C S, C I E
2 ,, M Anantarajaiya

I Acquisition of a portion of Sadvidya Patasala for widening the existing conservancy lane to the east of the said Patasala in Block 60 63 of No IV Drainage Area

Resolved that the conservancy lane be widened at the north end taking a small strip of land from the Sadvidya Patasala property

II Report of the Committee appointed under Board's Resolution, dated the 5th May 1914, to decide the plans for the construction of houses for the poor

Resolved that the plans be approved and submitted to Government for approval and allotment of funds for the construction of these houses

III Acquisition of two bits of vacant land measuring 1,050 and 588 square yards belonging to Mr M L Vasudevaiya, in Block 81 of No V Drainage Area

Resolved that portion marked B in plan be taken from Mr Vasudevaiya and land equal in area be given to him behind A

IV Government Proceedings No 3092 4—M1 51 14, dated the 13th October 1914, sanctioning a supplemental estimate amounting to Rs 2,330 for covering the drain in Bidadi Gurikar Davanna's street in Hale Agrahar, Mysore

Recorded

V Application from Dalali Chennaiya, praying for a loan of Rs 500 for reconstructing his house in Krishnaraj Mohalla

Resolved that the loan be sanctioned

VI Application from Mahomed Ghouse, praying for a loan of Rs 500 for completing his house under construction in Lashkar Mohalla

Resolved that the loan be sanctioned

VII Application from Hassan Khan, applying for a further loan of Rs 100 in addition to the first loan of Rs 200 for completing the house he is building in Lashkar Mohalla

Resolved that the further loan be made

VIII Claim of Kattiga Siddaiya, for compensation to a well belonging to him and situated on the Hospital Road, Lashkar Mohalla

Resolved that necessary compensation be given

IX Answers to notices issued under Section 16 of the City Improvement Regulation in respect of properties proposed to be acquired in the Fort

Resolved that the project be submitted with the objection received and with a special recommendation regarding the house owners that have applied for immediate acquisition

X Retention of the temporary establishment costing Rs 62 per month attached to the Chairman s Office for the year 1914-15

Resolved that the retention of the above establishment be approved and submitted to Government for sanction

XI Estimate amounting to Rs 1,186, for shifting the electric posts on the Chamaraj Road

Resolved that the estimate be approved and submitted to Government for sanction

XII Estimate amounting to Rs 1,03,020 for improving the Nazarbad High Road

Resolved that the estimate be approved and submitted to Government for sanction

XIII Estimate for Rs 99, for the construction of a drain in Block I of No III Drainage Area

Resolved that the estimate be sanctioned

XIV Estimate for Rs 12,691 for cutting and grading road and laying street sewers for the new extension on the late Bakshi Basappaji's garden

Resolved that the estimate be approved and submitted to Government for sanction

XV Estimate amounting to Rs 95,620, for filling the Purnaiya s Nala from Mochighat Police Station to the 5th water pipe line along the bund in continuation of Rampart Wall Road

Resolved that the estimate be approved and submitted to Government for sanction

XVI Estimate for Rs 41,581, for flooring the flood water drain to Pleasure Palace Road culvert

Resolved that the estimate be approved and submitted to Government for sanction

XVII Estimate for Rs 500, for tidying up the Jeevan Row Tank bed and improving the junction of Railway Station and Viceroy Road in front of Railway Station

Resolved that the estimate be approved and submitted to Government for sanction adding a provision of Rs 200 for draining the tank

XVIII Estimate for Rs 250, for levelling and forming the uneven grounds at the entrance to the City by the Erangere gate

Resolved that the estimate be approved and submitted to Government for sanction

XIX Disposal of tenders for filling the east fort ditch and diverting the storm water drain into Doddakere

Resolved that the tender of Muthukumaraswami and Vaduvelachari for filling the ditch be approved and submitted to Government for sanction The remaining portion of the estimate relating to the diversion of the storm water drain be got done by task workers it being of an urgent nature

XX. Estimate amounting to Rs 4 48,035, for improving the Devaraj Market square

Resolved that the estimate be approved and submitted to Government for sanction

XXI Estimate amounting to Rs 67,076 for reconstructing the interior stalls of Devaraj Market and improving it

Resolved that the estimate be approved and submitted to Government for sanction

XXII The question of the disposel of small bits of vacant land owned by private individuals within the old City as well as extensions which are below the minimum stipulated dimensions for a house site

Resolved that such sites be purchased when the parties are willing to sell

T Lakshmana Rao,
Chairman

Mysore City Improvement Trust Board

Estimate of the probable cost of flooring the flood water drain in the Circus upto the Pleasure Palace Road

Details of work	No	Dimensions			Contents		
removing the existing Soapcut flooring and Stacking							
Flood water drain in Arch ens from Bangalore Nudigere Road west to Pleasure Palace Road							
Arch	1	222	42½	1½	14152		
— Do —	1	198	37½	1½	11137		
— Do —	1	200	34	1½	10200		
— Do —	1	55	24	1½	1980		
Total					37469	cyd	1390
ment Concrete drain including rendering the surface smooth with Cement (1:2½:5)							
Drain in centre of flood-water drain	1	8285 × 1/10 area			910	cft	90
Rubble masonry mortar Concrete below bed slabs							
Flood water drain in Arch ens	1	222	41	1/4	2275		
	1	198	36	1/4	1782		
	1	200	32½	1/4	1625		
	1	55	22½	1/4	309		
4 Vents of Culverts	2	35	4¾	1/4	83		
— do —	1	35	3¼	1/4	28		
— do	4	32½	1/4	9/4	114		
Carried over					6216		

B F.

						6216		
Vents of Culverts	6	32 1/2	4 1/2	1/4	21 4			
- Do -	2	32 1/2	3	1/4	4 9			
Total					6484	Sft	6 4	
Burnt stone slabs 3 to 4 1/2" thick joints dressed								
pointed and set in Cement mortar								
	1	222	41	"	9102			
	1	198	36	"	7128			
	1	200	32 1/2	"	6500			
	1	55	22 1/2	"	1237			
Vents of Culverts	2	35	4 3/4		350			
- do -	1	35	3 1/4	"	113			
- do -	4	32 1/2	3 1/2	"	455			
- do -	6	32 1/2	4 1/2	"	877			
	2	32 1/2	3	"	195			
Total					25940	Sft	259	

Abstract

Items of work	Q	per	Rate	Cost
Removing the existing Serpent flooring and Stacking	1390	Cyd	4	347
Cement Concrete drain including rendering the Surface Smooth with cement (1 2½ 6) drain in centre	910	Cft	13 6	768
Chunam mortar Concrete below bed Slabs	6484	Cft	3	1215
Burnt stone slabs 3" to 4½" thick Jambs dressed, numbered and set in cement mortar	25940	Sft	4 6	7295
Total Rupees				9625
Contingencies at 5 per cent				481
Grand Total Rupees				10.106

(Sd) H H Marker.
Asst Engineer

D Lakshmana Rao
Chairman

Mysore City Improvement Trust Board



Duplicate

Estimate of the probable cost of Widening the Hadinaberedoddy near Hardinge Circle up to Pleasure Palace Road Culvert

Amount of Estimate

Rs/ 10,106/

(37

S +

G. R S 26]

File No 24-15

Serial No 111

Diary No 777 of letter replied to 4620

No 208 -
ml 24-15-111 dt 10-7-16

General and Revenue Secretariat
(Mines)
, the 191

To The Chf Engr of Mysore

Date of issue 10-7-16

Signed by for B. Subbarao

Sir,

Referring to your letter No 6091 of the 23rd June 1916, I am directed to invite kind reference to this Office letter No 3943 Ml 24-15- of 29-11-1915 and to request the submission of the original estimate for flooring the flood water drains in Nos II & III Drainage areas out of

SUBJECT



List of enclosures

Copied by

Examined by

GPO—1909—10-10-15

Urgent

TELEGRAPHIC ADDRESS
Statewoks

(39)

No 7220

D 259

Encl 3 & 2 Blank sheets

Ind 24-15-114

MYSORE P W DEPARTMENT

CENTRAL OFFICE,

Bangalore 19th July 1916

From Rajasabhabhushana

KARPUR SHRINIVASRAO, Esq, B Sc, L C E,

Chief Engineer of Mysore,

Bangalore

To

L. Krishna Rao., Esquire.,

Secretary to the Government of Mysore,

Revenue Department, Bangalore.

Sir,

As desired in your letter No. 208/Md 24-15-111 dated the 10th July 1916, I have the honour to forward herewith the original estimate amounting to Rs.47,550/- for flooring the flood water drains in Nos.II and III Drianage areas of the Mysore City.

I have the honour to be,

Sir,

Your most obedient servant,

For Chief Engineer of Mysore.

J.R.

Tv 21/7/16

GPE—5,000—16-1 15

191

MYSORE P W DEPARTMENT

No 7220.

From

THE CHIEF ENGINEER OF MYSORE

Bangalore

To

The Secretary to Government

Revenue Department.

Dated Bangalore 19th July 1916.

Despatched

Enclosure No 3. (1 Estimat
(2 Blue Pr

Subject

Forwarding the original est mate amounting to Rs 47,550 for - flooring the flood water drains the Nos. II and III Drainage are of the Mysore City.

40

Carrying of the Storm Water Drain near the Hardinge Circle in the Mysore city

File No 24.16

Serial No 122

S 28]

No of letter replied to 257

Proceedings of the Government of His Highness the Maharaja of Mysore

GENERAL AND REVENUE SECRETARIAT
(Memo)

, the 191

Date of issue 8 9 16

Signed by W. B. Subba Rao

Certificate

READ Correspondence ending with letter No 7220 of the 19th July 916 from the Chief Engr of Mysore Subg for sanction an estimate amounting to

ORDER THEREON—No

Rs 10106 for laying the bed of the Storm Water drain near the Hardinge Circle up to the Pleasure Palace Road Culvert in Mysore,

over

SUBJECT

GPB—50 000—4 12-12

the Corr. being sent from
the Mysore Agy Dept Dated

Order. No 1775-7 dy 7 9 16
ml 24-15-122

Sanctioned.

for the Secretary
Revenue

29 8 1916

To

The Chief Engineer Mysore
with the Sanctd estimate
& the Large estimate
amtg to Rs 47,550 & plans
relating to both.

Chairman of the Dist Bd. Tumkur
for the Supt of the City of Mysore
Corporation.